

ST-17

Splash-Proof Pen-Type Thermometer



► Användning

Offering low cost, rapid response, high accuracy and ease of use with a robust design. This Splash-Proof Thermometer is ideal for liquid and semi-solid sampling. The probe protection sheath has a vent hole in the end so that the instrument can be used as a stirrer and still display the sample temperature. The sheath can be connected to the head of the unit and used as a handle extension.

- -50° to 150°C x 0.1°
- Data Hold function retains the displayed value
- Auto Power Off after 1 hour of no activity
- 125 x 4mm Ø Stainless Steel probe
- The thermistor sensor is located in the bottom 10mm of the probe
- Pointed probe tip makes these instruments ideal for liquid or semi-solid sampling
- Push-button membrane keypad
- 10mm LCD display with function indicators
- Polycarbonate case and protection sheath
- Supplied with the probe protector sheath with pocket clip and battery

Optional Calibration Certificate

Issued at 4 points:
25°C, 50°C, 75°C & 100°C

Additional points at:

(Traceable)
From -50° to 140°C
(UKAS)
From -50°C to 150°C

Technical Specifications

Range : -50° to 150°C.
Resolution : 0.1°C (-19.9° to 149.9°C) 1° (others)
Accuracy : ±1°C (-30° to +150°C), ±2° (others)
Sampling : Every second
Power : 1 x 1.5V Button Cell Battery (PL-13)
Dimensions : 210 x 23 x 18mm (Unit) 125 x 4mmØ (Probe)
Weight : 37g